

CEILING FAN COLLECTION 2021





ABOUT BEACON INTERNATIONAL

Beacon International is considered one of the brightest lights in the international lighting and ceiling fan industry. As part of the renowned Beacon Lighting group, who has been Australia's largest lighting retailer for over 50 years, we have an unparalleled pedigree when it comes to offering superior quality products and service. Our global network gives us greater design experience and knowledge of the latest technology, earning us a reputation as innovators in lighting design and energy efficient solutions. With steady and continual growth, an ever-expanding product range and lighting representatives who are the leaders in their field, we are justifiably proud of what we stand for and the journey to get where we are today. Beacon International offers you an extensive range of exciting, innovative, well-designed products that are proven strong sellers.

We provide:

- Product development
- Competitive pricing
- Easier sourcing solutions
- Low M.O.Q.s and fast delivery
- Access to high quality marketing and promotional material including an extensive library of lifestyle images as shown on the pages.

BEACON INTERNATIONAL DIVISIONS

Beacon International Ltd

Hong Kong Head Office:

Room 05, 18/F, Kimberland Center, 55 Wing Hong Street, Cheung Sha Wan Kowloon, Hong Kong Tel $+852\ 34915904\ Fax +852\ 34915917$

info@beaconinternational.com

www.beaconinternational.com

Beacon Lighting Solutions (Zhongshan) Co. Ltd

China showroom / Office:

11/Fl, Guzhen Lighting Building B, Mid Zhongxing Road, Guzhen, Zhongshan, GuangDong, China Tel: $+86\,760\,8986\,6388\,$ Fax: $+86\,760\,8986\,6380\,$

Beacon Lighting Europe GmbH

Campus Fichtenhain 42, 47807 Krefeld, Germany
Tel +49 (2151) 325 82 39 Fax +49 (2151) 325 70 65
sales@beaconlighting.eu
www.beaconlighting.eu

Beacon Lighting America Inc.

501 W Broadway, Suite 800, San Diego, California, 92101, United States Tel +1 (949) 800-8488 Fax +1 (949) 409-8686 sales@beaconlighting.us www.beaconlighting.us



OUR BRANDS





Fanaway is a revolutionary Australian design that has taken the world by storm. With one flick of the switch, Fanaway transforms from a sleek sophisticated, pendant light into an energy efficient ceiling fan. The secret lies in Fanaway's unique retractable blade technology. Turning the fan on creates a centrifugal force which deploys the distinctive blades to circulate air within a room. Switch it off, and the fan blades automatically retract and conceal, creating a clutter-free overhead environment. Hidden away, the blades accumulate less dust and offer an unobtrusive design aesthetic. Using superior quality materials and finishes, Fanaway sets a totally unique standard in form and function.

Awards

- Home Beautiful Product of the Year Awards
 2008, Finalist
- Best Homewares & Kitchen Product or Range,
 Finalist Home/Lifestyle, The Gift Awards
 2008
- Most innovative Product or Service, Finalist Conscience & Creativity, The Gift Awards 2008
- Best Homewares & Kitchen Product or Range, Finalist-Australian Designed and/or Manufactured, The Gift Awards 2008
- Finalist, Next [Big Thing] Award 2008
- Interior Design Awards 2008, Finalist

Lucci

Patents

- European Patent Office 1904793 Combined light fitting and ceiling fan (structure)
- European Patent Office 2400158 Retractable fan motorised mounting plate
- European Community 001062764-0002
 Retractable fan design in operative and stowed positions
- European Community 001062764-0001
 Retractable fan design in operative and stowed positions


Lucci air is well known for it's great quality, with a heavy focus on technology and product development. The Lucci brand offers the latest on-trend designs, sourced from around the globe, to suit every style of home. The range offers great value with options for every budget.



BAYSIDE

The Bayside fan range has been developed to be simple in design with a focus on energy efficiency. Constructed from high quality materials, Bayside fans are suitable for both indoor and outdoor applications.






MOST CEILING FANS USE THE SAME AMOUNT OF POWER AS A 60 WATT LIGHT BULB, WHICH COSTS ABOUT 1¢ PER HOUR* TO RUN.

SUMMER COUNTERCLOCKWISE WINTER

MOST BEACON INTERNATIONAL FANS ARE REVERSIBLE, MEANING THEY CAN BE CHANGED FROM SUMMERMODE TO WINTER MODE AT THE FLICK OF A SWITCH.

CLOCKWISE

WINTER MODE CHANGES THE BLADE DIRECTION FROM COUNTERCLOCKWISE TO CLOCKWISE, PUSHING WARM AIR UP AGAINST THE CEILING AND DOWN THE WALLS, PROVEN TO REDUCE HEATING COSTS BY UP TO 10%*.





^{*}The calculations on costs and savings are approximate only and may vary according to fan size and use of fan and the electricity provider.





CEILING FAN TIPS



SAVE MONEY, SAVE ENERGY

Ceiling fans keep you cooler in summer and warmer in winter using about as much power as a 60-watt light bulb, which costs only 2-3c per hour to run. Choose a fan with a DC motor, which uses 70% less energy than standard AC fans, and you'll reduce running costs to as little as 1c per hour.



CEILING FANS IN SUMMER

While a ceiling fan does not necessarily lower the temperature, it does make the room feel cooler by providing a circulatory breeze. Effective circulation can make you feel up to 8 degrees cooler and reduce air conditioning bills by up to 40%.



CEILING FANS IN WINTER

In the winter months, you should run your ceiling fan in the reverse mode. This pushes warm air up against the ceiling and then down the walls, gently re-circulating warm air through the room. This technique has been proven to lower heating costs by as much as 10%. The calculations on costs and savings are approximate only and may vary according to fan size and use of fan.



FAN SIZE RECOMMENDATIONS

| Room Size | | Fan Size | |
|-----------|---------|----------|-----------|
| ft² | m² | Inches | cm |
| 75 - 144 | 7 - 13 | 36 - 42 | 91 – 106 |
| 145 - 225 | 13 - 21 | 48 | 122 |
| 225 - 400 | 21 - 37 | 50 - 56 | 127 - 142 |
| Above 400 | 37 | 60 | 152 |

Large Rooms – Living, family or master bedrooms need a fan with a blade size of 132cm or larger to generate enough air flow. A small fan in a large room can make a space look unbalanced whereas a large fan can look overpowering in a small room.

Medium to Small rooms – For kitchens, dining rooms or kids bedrooms and offices you should choose a fan with a blade size of 122cm or smaller.

CEILING FAN TIPS



CEILING HEIGHT

If you have high ceilings above the standard 2.4 meters, you may require an extension rod. Nearly all Beacon Lighting fans come with a ball canopy fixing method to the ceiling which means fans can be mounted on cathedral ceilings or flat ceilings. For all Beacon Lighting ceiling fans with ball canopy fixing you can order an optional extension rod, standard size is 90 cm, you can easily cut them to suit your requirements.



RECOMMENDED INSTALLATION HEIGHT

Any ceiling fan should be at least 2.1 meters (in Europe 2.3 m) from the floor to the blades of the fan and at least 300mm from the nearest wall.



ADDITIONAL SOURCE OF LIGHTING

If your fan will be replacing the main source of lighting in a room you will need to purchase a fan that has an integrated light fitting. Alternatively, most Beacon Lighting fans are light adaptable, so you can still retain your light source.



REMOTE CONTROLS

Have the convenience of being able to control the light and action of your fan from a remote control. Most Beacon Lighting fans can be installed with a receiver which means that when installing a fan into an existing light point there is no need to run an extra wire to control the fan, as the remote does everything for you. Additional wiring will still be required for an isolation switch which is mandatory for all fans.

PRODUCT INFORMATION LABEL




Suitable for indoor and outdoor areas provided the fan is fully undercover with a minimum of 2 walls. Fans must be positioned in a location protected from water, wind, dust and salt.



Suitable for indoor, outdoor and coastal areas provided the fan is fully undercover.



Ceiling fans with energy saving DC Motor







| ABOUT BEACON INTERNATIONAL3 | CLIMATE III | 60 |
|-----------------------------|---------------------------|-----|
| OUR BRANDS4 | FIJIAN II | 63 |
| FAN FACTS5 | FLUSSO | 64 |
| CEILING FAN TIPS7 | FRASER | 66 |
| FANAWAY EVO1 LED13 | FUTURA | 68 |
| FANAWAY EVO2 14 | FUTURA MOOD | 71 |
| FANAWAY CLASSIC17 | HAVANA | 72 |
| FANAWAY CORBELLE | LOUISVILLE | 75 |
| FANAWAY EVORA21 | MARINER | 76 |
| FANAWAY FRASER22 | MOTO | 78 |
| FANAWAY INDUSTRI24 | NEWPORT | 80 |
| FANAWAY MONTCLAIR27 | AIRFUSION NORDIC | 82 |
| FANAWAY ORBIT29 | PEREGRINE | 85 |
| FANAWAY VEIL30 | AIRFUSION RADAR | 87 |
| AIRFUSION AIRMOVER32 | AIRFUSION RESORT | 89 |
| AIRFUSION AIRLIE II | SHOALHAVEN | 91 |
| AIRLIE HUGGER36 | AIRFUSION TYPE A | 93 |
| AIRFUSION AKMANI39 | WHITEHAVEN | 95 |
| AIRFUSION ARIA40 | COMPACT AIR PURIFIER H13 | 96 |
| ARIA CTC42 | VOLUME AIR PURIFIER H13 | 99 |
| ATLANTA45 | MAXI AIR PURIFIER H13 | 100 |
| BALI46 | CALYPSO | 102 |
| BREEZE FLOOR FAN49 | MEGARA | 105 |
| BREEZE PEDESTAL FAN50 | JETSTREAM | 106 |
| BREEZE TRIPOD FAN53 | LAGOON | 109 |
| BREEZE WALL FAN54 | NAUTILUS | 111 |
| CAROLINA56 | LUCCI CONNECT WIFI REMOTE | 112 |
| AIRFUSION CLIMATE II59 | LUCCI TOUCH FAN REMOTE | 114 |





White







SKU 211036

Brushed Chrome

With Clear Blades



FAN SPECS

Fan Size 121cm/48inch (fan sweep)

47.5cm/19inch (collapsed)

Fan Material Metal

Blade Material PC **Motor Size** D153 X 15mm

Speeds 3 Speed (Summer/Winter)

Light Integrated 40W LED, 2200LM, 3 stage adjustable color

temperature, 3000K, 5000K, 4000K, dimmable

Operated by Remote Control

Airflow 180m³/min Motor Wattage 60W

Ceiling pitch (Deg) 15

Certification CE&GS by TUV



90 CM ADJUSTABLE

210544 White

210545 Brushed Chrome

210546 Chrome



Chrome

With Clear Blades



When closed



Note: Retractable Blades Ceiling Fan with Dimmable LED Light and Colour Shifting Technology, Remote Control included.

FANAWAY EVO2



SKU 210932

Chrome

With Clear Blades



When closed



Remote Control included.

FAN SPECS

Fan Size 121cm/48inch (fan sweep)

47.5cm/19inch (collapsed)

Fan Material Metal

Blade Material PC

Motor Size D153 X 15mm

Speeds 3 Speed (Summer/Winter)

Light 3x E27 MAX. 20W CFL Spiral, not included

Operated by Remote Control

Airflow 180m³/min

Motor Wattage 60W

Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

210544 White

210545 Brushed Chrome

210546 Chrome







Oil Rubbed Bronze With Dark Koa Blade





SKU 212926

Chrome

With Clear Blades



Remote Control included.

FAN SPECS

Fan Size 121cm/48inch (fan sweep)

47.5cm/19inch (collapsed)

Fan Material Metal

Blade Material PC

Motor Size D153 X 15mm

Speeds 3 Speed (Summer/Winter) Light 3xE27 LED filament bulbs included,

each bulb 4W 2500K 400 lumens, non-dimmable

Operated by Remote Control (SKU 210012)

Airflow 180m³/min Motor Wattage 60W Ceiling pitch (Deg) 15 **Certification** CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

212930 Oil Rubbed Bronze

210546 Chrome 212931 Antique Black

SKU 212927

Antique Black With Smoke Blades



When closed

FANAWAY CORBELLE



SKU 212929

Chrome

With Clear Blades



When closed

FAN SPECS

Fan Size 121cm/48inch(fan sweep)

47.5cm/19inch (collapsed)

Fan Material Metal

Blade Material PC

Motor Size D153 X 15mm

Speeds 3 Speed (Summer/Winter)

Light 3xE27 LED filament bulbs included,

each bulb 4W 2500K 400 lumens, non-dimmable

Operated by Remote Control (SKU 210012)

Airflow 180m³/min

Motor Wattage 60W

Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

212931 Antique Black

210546 Chrome







Oil Rubbed Bronze
With Dark Koa Blades



SKU 212982

Brushed Chrome With Clear Blades



White

With Clear Blades

FAN SPECS

Fan Size 94cm/37inch (fan sweep)

41.5cm/16.3inch (collapsed)

Fan Material Metal

Blade Material PC

Motor Size D153 X 12mm

Speeds 3 Speed (Summer/Winter)

Light 2x20W E27, not included

Operated by Remote Control (SKU 210012)

Airflow 120m³/min Motor Wattage 55W Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

212930 Oil Rubbed Bronze

210545 Brushed Chrome

210544 White



When closed



PATENTS
ON DESIGN &
TECHNOLOGY

Remote Control included.

FANAWAY FRASER











SKU 511030

White

With Clear Blades

Remote Control included.



When closed

FAN SPECS

Fan Size 48 inch(fan sweep)

19 inch (collapsed)

Fan Material Metal

Blade Material PC

Motor Size D153 X 15mm

Speeds 3 Speed

Light 3x E27 MAX. 20W CFL Spiral, not included

Operated by Remote Control SKU 210012

Airflow(CFM) 4169 Motor Wattage 60W Ceiling pitch (Deg) 15 Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210544 White



FANAWAY INDUSTRI





SKU 212920

Matt Black With Smoke Blade





Remote Control included.



SKU 212921

Oil Rub Bronze With Dark Koa Blades



When closed

FAN SPECS

Fan Size 121cm/48inch(fan sweep)

47.5cm/19inch (collapsed)

Fan Material Metal

Blade Material PC

Motor Size D153 X 15mm

Speeds 3 Speed (Summer/Winter)

Light 3xE27 LED filament bulbs included, each bulb 4W 2500K 380

lumens, non-dimmable

Operated by Remote Control (SKU 210012)

Airflow 180m³/min

Motor Wattage 60W

Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

212931 Antique Black

212930 Oil Rubbed Bronze





FANAWAY MONTCLAIR



SKU 511061

Black (Koa Trim) With Smoke Blades



FAN SPECS

Fan Size 48inch(fan sweep)

19inch (collapsed)

Fan Material Metal

Blade Material PC

Motor Size D153 X 15mm

Speeds 3 Speed

Light 3xE27 LED filament bulbs included,

each bulb 4W 2500K 400 lumens, non-dimmable

Dimmable Yes

Operated by Remote Control SKU 210012

Airflow(CFM) 4169

Motor Wattage 60W

 $\textbf{Ceiling pitch} \; (\text{Deg}) \; 15$

 $\textbf{Certification} \; \mathsf{CE} \; \mathsf{by} \; \mathsf{Waltek}$

EXTENSION DOWN ROD

90 CM ADJUSTABLE

212931 Antique Black



When closed



Remote Control included.







SKU 210665Matt Black
With Painted Matt Black Blades

FAN SPECS

Fan Size 91.5cm/36inch (fan sweep) 41.5cm/16.3inch (collapsed)

Fan Material Metal

Blade Material ABS

Motor Size D153 X 12mm

Speeds 6 Speed (Summer/Winter)

Light Replaceable LED light kit 1800LM

Operated by Remote Control

Airflow 118.5m³/min

Motor Wattage 25W

Ceiling pitch (Deg) N/A

Certification CE by Waltek













Antique Black With Smoke Blade





When closed



Remote Control included.

SKU 212923

Chrome

With Clear Blades

FAN SPECS

Fan Size 121cm/48inch(fan sweep)

47.5cm/19inch (collapsed)

Fan Material Metal

Blade Material PC

Motor Size D153 X 15mm

Speeds 3 Speed (Summer/Winter)

Light 6xE14-A/1 LED bulbs included, each bulb 4.5W 2700K

470lumens, non-dimmable

Operated by Remote Control (SKU 210012)

Airflow 180m³/min Motor Wattage 60W

Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

212931 Antique Black

210546 Chrome



AIRFUSION AIRMOVER





Dark Koa

With Dark Koa Blades



Wall Control Included.

SKU 212989

White

With White Blades

FAN SPECS

Fan Size 142cm/56inch

Fan Material Metal

Blade Material ABS Plastic

Motor Size D 188 X 14mm

Speeds 3 Speed (Summer/Winter)

Light N/A

Operated by Wall Control

Airflow 260m³/min

Motor Wattage 86W

Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210559 BLACK

210575 White

210582 Dark Koa



AIRFUSION AIRLIE II



White

With White Blades

FAN SPECS

Fan Size 122cm/48inch

Fan Material Metal

Blade Material Plywood

Motor Size D153 X 15mm

Speeds 3 Speed (Summer/Winter)

Light 2x15W E27 not included

Operated by Remote Control (SKU 210012)

Airflow 151m³/min Motor Wattage 50W

Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White



Remote Control Included.









Remote Control Included.

FAN SPECS

Fan Size 91.5cm/36inch

Fan Material Metal

Blade Material MDF

Motor Size D153 X 12mm

Speeds 3 Speed (Summer/Winter)

Light 2x15W E27, not included

Operated by Remote Control

Airflow 75 m³/min

 $\textbf{Motor Wattage}~45~\mathrm{W}$

Ceiling pitch (Deg) N/A

Certification CE by Waltek



Optional with or without down rod

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White

210583 Oil Rubbed Bronze









FAN SPECS

Fan Size 152cm/60inch

Fan Material Metal

Blade Material Solid Wood (Paulownia)

Motor Size D153 X 15mm

Speeds 6 Speed (Summer/Winter)

Light See Light-Kits

Operated by Remote Control

Airflow 223m³/min

Motor Wattage 36W

Ceiling pitch (Deg) 15

Certification CE&CB by IEC

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210555 BRUSHED CHROME

210583 Oil Rubbed Bronze

210559 Black

LIGHT-KITS (OPTIONAL)



510506

210245

Brushed Chrome





510507 **Brushed Chrome** Oil Rubbed Bronze



510508 Black





210244 Oil Rubbed Bronze

210243 Black



FAN SPECS 212994 / 212998

Fan Size 122cm/48inch

Fan Material ABS Plastic

Blade Material ABS Plastic

Motor Size D153 X 15mm

Speeds 3 Speed (Summer/Winter)

Light 18W LED 1100 Lumen

Operated by IR Remote

Airflow 156m³/min

Motor Wattage 47W

Ceiling pitch (Deg) 15

 $\textbf{Certification} \; \mathsf{CE} \; \mathsf{by} \; \mathsf{Waltek}$

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210559 Black

210575 White

FAN SPECS 212991

Fan Size 122cm/48inch

Fan Material ABS Plastic

Blade Material ABS Plastic

Motor Size D153 X 15mm

Speeds 3 Speed (Summer/Winter)

Light N/A

Operated by Wall Control

Airflow 156m³/min

Motor Wattage~47 W

Ceiling pitch (Deg) 15

Certification CE by Waltek



90 CM ADJUSTABLE 210575 WHITE



Wall Control Included.





FAN SPECS 212999 & 213000

Fan Size 122cm/48inch

Fan Material ABS Plastic

Blade Material ABS Plastic

Motor Size D155 X 15mm

Speeds 3 Speed (Summer/Winter)

Light N/A

Operated by Wall Control

Airflow 156m³/min

Motor Wattage 47W

Ceiling pitch (Deg) N/A

Extension down rod N/A

Certification CE by Waltek

FAN SPECS 213001 & 213002

Fan Size 122cm/48inch

Fan Material ABS Plastic

Blade Material ABS Plastic

Motor Size D155 X 15mm

Light 18W LED in 1100 Lumen, 3000K

Speeds 3 Speed (Summer/Winter)

Operated by Remote Control

Airflow 156m³/min

Motor Wattage 47W

Ceiling pitch (Deg) N/A

Extension down rod N/A

Certification CE by Waltek

SKU 213002

Matt Black

With Black Blades







FAN SPECS

Fan Size 142cm/56inch

Fan Material Metal

Blade Material ABS Plastic

Motor Size D153X8mm

Speeds 6 Speed (Summer/Winter)

Light Included, GX53/12W

Operated by 6 speed Remote Control

Airflow 267m³/min

Motor Wattage 40W

Ceiling pitch (Deg) 9

Certification CE by Waltek

EXTENSION DOWN ROD

212931 Black **210575** White



Remote Control Included.

BALI

SKU 210654

Antique White
With Antique White Blades





SKU 210655

Oil Rubbed Bronze With Dark Koa Blades

FAN SPECS

Fan Size 132cm/52inch

Fan Material Metal+ABS

Blade Material ABS

Motor Size D153 X 25mm

Speeds 6 Speed (Summer/Winter)

Light 18w 1700lm GX53 BULB(121357) included

Operated by Remote Control

Airflow 160m³/min

Motor Wattage 42W

Ceiling pitch (Deg) 10

 $\textbf{Certification} \; \mathsf{CE} \; \mathsf{by} \; \mathsf{Waltek}$

EXTENSION DOWN ROD


90 CM ADJUSTABLE

210584 Antique White

210583 Oil Rubbed Bronze



Remote Control Included.





BREEZE FLOOR FAN





SKU213122EU/213122UK

Black



FAN SPECS

Fan Size 41cm/16inch

Fan Material Steel

Blade Material ABS Plastic

 $\textbf{Motor Size} \ 100 \text{mm}$

Speeds 3 Speed

Operated by Switch on fan

Airflow 64m³/min

Motor Wattage 50W

Certification CE by Waltek

213123EU/213123UK

Oil Rubbed Bronze

BREEZE PEDESTAL FAN

LUCCI air





FAN SPECS

Fan Size 41cm Diameter

150 cm Maximum/103cm Minimum Extendable Height

Fan Material Steel

Blade Material ABS

Motor Size 10cm

Speeds 3 Speed, Multiangle and OSC

Operated by Switch on fan

Airflow 59m³/min

Motor Wattage 50W

Certification CE by Waltek





BREEZE TRIPOD FAN





SKU 213124EU/213124UK

Black



SKU 213125EU/213125UK

Oil Rub Bronze



Brushed Chrome

FAN SPECS

Fan Size 41cm/16inch

Fan Material Steel

Blade Material ABS Plastic

Motor Size 100mm

Speeds 3 Speed, Multiangle, OSC,

Timer 1h - 7h

Operated by Control on Fan & Remote

Airflow 64m³/min

Motor Wattage 50W

Certification CE by Waltek



CAROLINA



Oil Rubbed Bronze

With Dark Koa Blades

FAN SPECS 211017

Fan Size 142cm/56inch

Fan Material Metal

Blade Material ABS

Motor Size D188 X 14mm

Speeds 3 Speed

Light N/A

Operated by Wall Control

Airflow 235m³/min

Motor Wattage 85W

Ceiling pitch (Deg) 18

Certification CE by Waltek



90 CM ADJUSTABLE

210583 Oil Rubbed Bronze

FAN SPECS 211021/211022

Fan Size 182cm/70inch

Fan Material Metal

Blade Material ABS Plastic

Motor Size D188 X 14mm

Speeds 3 Speed (Summer/Winter)

Light N/A

Operated by Wall Control

Airflow 283m³/min

Motor Wattage 85W

Ceiling pitch (Deg) 18

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE


210559 Black


210583 Oil Rubbed Bronze



Wall Control Included.







CLIMATE III





SKU 210640

White

With White / White Washed Blades



SKU 210641

Oil Rubbed Bronze

With Aged Wood / Dark Koa Blades



6 speed Remote Control
Included. With Anti-burglary
function (the light ON
5-20 minutes every 2 hours)

FAN SPECS

Fan Size 132cm/

Fan Material Metal

Blade Material Plywood

Motor Size D120 X 20mm

Speeds 6 Speed (Summer/Winter)

Operated by Remote Control

Airflow 197m³/min

Motor Wattage~35 W

Ceiling pitch (Deg) 10

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White

210583 Oil Rubbed Bronze

210559 Black



Black

With Aged Wood / Matt Black Blades









2100645 White

2100643

Oil Rubbed Bronze

Black

2100644





Lucci air



SKU 210295

Bronze

With Latte Coloured Rattan Blades

FAN SPECS

Fan Size 132cm/52inch

Fan Material Metal

Blade Material Plastic

Motor Size D172 X 18mm

Speeds 3 Speed (Summer/Winter)

Light 210214 not included

Operated by Wall Control

Airflow 194m³/min

Motor Wattage 75W

Ceiling pitch (Deg) 22

 $\textbf{Certification} \; \mathsf{GS} \; \mathsf{by} \; \mathsf{TUV}$

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210562 Bronze



Wall Control Included.







Matt White

With White Washed/Teak Blades





SKU 210662

Matt Black

With Matt Black/Teak Blades





Remote Control Included.



FAN SPECS

Fan Size 132cm/52inch

Fan Material Aluminum+ABS

Blade Material Plywood

Motor Size D90 X 19mm Speeds 6 Speed (Summer/Winter)

Light 18w 1700lm GX53 BULB(121357) included

Operated by Remote Control

Airflow 187 m³/min

Motor Wattage 32 W

Ceiling pitch (Deg) N/A

Certification CE by Waltek

SKU 210663

Oil Rubbed Bronze

With Dark Koa/Oil Rubbed Bronze Blades







Climate CNC Fan light



210245 Brushed Chrome



210247 White

Climate Clipper Fan light





210249 White

210250 Brushed Chrome

Motor Size D125 X 30mm

Speeds 6 Speed (Summer/Winter)

Operated by Remote Control (SKU 21052R)

Airflow 194m³/min

Motor Wattage 35W

Ceiling pitch (Deg) N/A

Extension down rod N/A

Certification CE&CB by Intertek



FUTURA





Wall Control Included.

FAN SPECS

Fan Size 132cm/52inch

Fan Material Die Cast Aluminum

Blade Material Plywood

Motor Size D153 X 18mm

Speeds 3 Speed (Summer/Winter)

Light N/A

Operated by Wall Control

Airflow 200m³/min

Motor Wattage 70W

Ceiling pitch (Deg) 20

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210550 White





FUTURA MOOD





SKU 213009

Brushed Chrome
With Silver/Wenge Blades

FAN SPECS

Fan Size 132cm/52inch

Fan Material Aluminum

Blade Material Plywood

Motor Size D155 X 18mm

Speeds 3 Speed (Summer/Winter)

Light 18W LED 1200 Lumen Dimmable

Operated by Remote Control (SKU 210012)

Airflow 200m³/min

Motor Wattage 70W

Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210560 Brushed Aluminum



HAVANA

Lucci air





Oil Rubbed Bronze
With Dark Koa Blades

FAN SPECS

Fan Size 38cm/15 inch

Fan Material Steel

Blade Material ABS Plastic

Motor Size 110*20mm

Speeds 3 Speed

Light N/A

Operated by IR Remote Control

Motor Wattage~53 W

Airflow 86

Ceiling pitch (Deg) 13

 $\textbf{Certification} \; \mathsf{CE} \; \mathsf{by} \; \mathsf{Waltek}$

EXTENSION DOWN ROD

90 CM ADJUSTABLE

212919 ORB

210559 Black

210575 White



White With
White Blades



IR Remote Control with Timer Function included.













SKU 213175

Oil Rubbed Bronze With Koa Blades



FAN SPECS

Fan Size 157.4cm/62inch

Fan Material Metal

Blade Material Plywood

Motor Size D153 X 18mm

Speeds 6 Speed (Summer/Winter)

Light 18w GX53 Bulb included

Operated by Remote Control

Airflow 267m³/min

Motor Wattage 40W

 $\textbf{Ceiling pitch} \; (\text{Deg}) \; 7$

Certification CE by Waltek

EXTENSION DOWN ROD

212930 Oil Rubbed Bronze



Remote Control Included.

MARINER





SKU 213096

White

With White Blades



FAN SPECS

Fan Size 142cm/56inch

Fan Material ABS Plastic

Blade Material ABS Plastic

Motor Size 172*14

Speeds 3 Speed (Summer/Winter)

Light 15W LED 1100 Lumen

Operated by Wall Control / Remote control for model with light

Airflow 187m³/min Motor Wattage 75W Ceiling pitch (Deg) 12 Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White







SKU 210650

White

With Matt White Blades



Black

With Matt Black Blades



FAN SPECS

Fan Material Metal+ABS

Blade Material ABS

Motor Size D90 X 19mm

Speeds 6 Speed (Summer/Winter)

Light N/A

Operated by Remote Control

Airflow 189 m³/min

Motor Wattage~35~W

Ceiling pitch (Deg) 11

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White

210559 Black

210555 Brushed Chrome

SKU 210653

Brushed Nickel With Teak Blades



Remote Control Included.





Lucci air



Chalk White

With White Wash/Oak Blades

FAN SPECS

Fan Size 137cm/54inch

Fan Material ABS Plastic

Blade Material Plywood

Motor Size D153 X 8mm

Speeds 6 Speed (Summer/Winter)

Light Adaptable with GX53 Bulb (SKU-121341)

Operated by Remote control

Airflow 210m³/min

Motor Wattage 40W

Ceiling pitch (Deg) 15

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

212931 Black

210544 White



Remote Control Included.



AIRFUSION NORDIC Lucci air SKU 512910 Black With Black Blades SKU 512911 White With White Washed Blades **FAN SPECS** Fan Size 142cm/56inch Fan Material Aluminum SKU 512912 **Blade Material** Plywood Oil Rubbed Bronze Motor Size D125mm X 30mm With Dark Walnut Blades Speeds 6 Speed (Summer/Winter) Light 20W LED 1300 Lumen Operated by Remote Control (SKU 512910-RC) Airflow 201m³/min Motor Wattage 35W Ceiling pitch (Deg) 15 **Certification** CE&CB by Intertek **EXTENSION DOWN ROD** 6 speed Remote Control 90 CM ADJUSTABLE Included. **210559** Black 210550 White

210583 Oil Rubbed Bronze





PEREGRINE



SKU 213280

White

With White Blades





SKU 213281

Black

With Black Blades

FAN SPECS

Fan Size142cm/56inch

Fan Material Metal+ABS

Blade Material ABS

Motor Size D123 X 15mm

Speeds 6 Speed (Summer/Winter)

Light 12W 1100LM GX53 BULB(121354) included

Operated by Remote Control

Airflow 180.9 m³/min

Motor Wattage $38~\mathrm{W}$

Ceiling pitch (Deg) 13

Certification CE by Waltek



6 speed Remote Control Included.


EXTENSION DOWN ROD


90 CM ADJUSTABLE


210575 White

210559 Black






















COMPACT AIR PURIFIER H13

















SKU 213080

SPECS

Size 195 X 195 X 402mm

Colour White with black detail

Modes High/Medium/Low

Rated voltage 220-240V~, 50/60Hz

Rated wattage 35W

Max. Airflow/CADR 90m³/h

Coverage Area $\leq 11 m^2$

Filter type Replaceable H13 HEPA ALL IN ONE

(Included, replaced filter sold separately)

Filter life 2200 hours

Noise level $< 50 \ dB$ on high

Timer 2/4/8 hours

Night Light N/A

Child Lock N/A

Insulation class Class II

Plug & Play Yes

IP rating IP20

Certification CE by Waltek





VOLUME AIR PURIFIER H13





SPECS

Size 195 X 195 X 388mm Colour White with black detail Modes High/Medium/Sleep

Rated voltage 100-240V~, 50/60Hz

Rated wattage 23W

Max. Airflow/CADR 130m³/h

Coverage Area $\leq 16m2$

 $\textbf{Filter type} \; \text{Replaceable H13 HEPA ALL IN ONE}$

(Included / replaced filter sold separately)

Filter life 2200 hours

Noise level $< 50 \ dB$ on high

Timer 2/4/8 hours

 $\textbf{Night Light} \; \text{N/A}$

 $\textbf{Child Lock} \; \text{N/A}$

Insulation class Class II (Power adaptor included)

Plug & Play Yes

IP rating IP20


Certification CE by Waltek





213084 VOLUME AIR PURIFIER H13 FILTER FOR 213081





MAXI AIR PURIFIER H13

















SKU 213082

SPECS

Size 270 X 303 X 497mm Colour White with black detail

Modes High/Medium/Sleep

Rated voltage 220-240V~, 50/60Hz

Rated wattage 50W

Max. Airflow/CADR 400m³/h

Coverage Area $\leq 50 \text{m}^2$

Filter type Replaceable H13 HEPA ALL IN ONE

(Included, replaced filter sold separately)

Filter life 2200 hours

Noise level < 50 dB on high

Timer 2/4/8 hours

Night Light Yes

Child Lock Yes

Insulation class Class II

Plug & Play Yes

IP rating IP20

Certification CE by Waltek





FAN SPECS 213015 / 213017

Fan Size 122cm/48inch Fan Material ABS Plastic **Blade Material** ABS Plastic Motor Size D153 X 12mm

Speeds 3 Speed (Summer/Winter)

Light N/A

Operated by Wall Control Airflow 150m³/min Motor Wattage 45W Ceiling pitch (Deg) 18

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White **210559** Black



Wall Control Included.

FAN SPECS 213016

Fan Size 122cm/48inch Fan Material ABS Plastic

Blade Material ABS Plastic

Motor Size D153 X 12mm

Speeds 3 Speed (Summer/Winter) Light GX53/11W not included

Operated by Remote Control

Airflow 150m³/min Motor Wattage~45 WCeiling pitch (Deg) 18 **Certification** CE by Waltek



Remote Control Included.


EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White







JETSTREAM



SKU 213020

White

With White Blades





Wall Control Included.

FAN SPECS

Fan Size 148mm/58inch

Fan Material ABS Plastic

Blade Material ABS Plastic

Motor Size D188 X 14mm

Speeds 3 Speed (Summer/Winter)

Light N/A

Operated by Wall Control

Airflow 237.5m³/min

Motor Wattage 85W

Ceiling pitch (Deg) 12

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White

210559 Black







Wall Control
Included.

Motor Size D155 X 12mm

Speeds 3 Speed (Summer/Winter)

Light 213032/213033 213036/213037

17W GX53 LED, 1700 Lumen, 3000K non dimmable

Operated by Wall Control / Remote Control for models with light

Airflow 160m³/min

Motor Wattage~55 W

Ceiling pitch (Deg) 0 / 14 (models with down rod)

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White

210559 Black



SKU 213037

Black

With Black Blades

Remote Control included.





Speeds 3 Speed (Summer/Winter)

Light N/A

Operated by Wall Control

Airflow 207m³/min

Motor Wattage 85W

Ceiling pitch (Deg) 13

Certification CE by Waltek

EXTENSION DOWN ROD

90 CM ADJUSTABLE

210575 White

210559 Black



Wall Control Included.

LUCCI CONNECT WIFI REMOTE





Lucci Connect allows you to control your Smart Lighting setup like never before. This Smart Fan Remote will allow you to control your fan with the remote and from your phone. Set up and control is simple with the easy to use Lucci Connect app. Combine with a smart home hub to enable voice control access and immerse yourself in the ultimate smart home experience. Get connected with the Lucci Connect smart lighting range.





SKU 299041 White

SPECS

Dimensions 42mm X 12mmX 110mm Speeds 3 Speed (Summer/Winter) **Certification** CE by Waltek

Only compatible with Lucci air, Bayside and Fanaway AC fan, PWM remote fan not compatible



LUCCI TOUCH FAN REMOTE



LUCCI air

SKU 210667 White



SPECS

Dimensions 28mm X 125mm X 80mm

Speeds 3 Speed Non-dimmable

Only compatible with Lucci air, Bayside and Fanaway AC fan, PWM remote fan not compatible

SKU 210675 Black



BEACON INTERNATIONAL DIVISIONS

Beacon International Ltd

Hong Kong Head Office:

Room 05, 18/F, Kimberland Center, 55 Wing Hong Street, Cheung Sha Wan

Kowloon, Hong Kong

Tel +852 34915904 Fax +852 34915917

info@beaconinternational.com

www.beaconinternational.com

Beacon Lighting Solutions (Zhongshan) Co. Ltd

China showroom / Office:

11/FI, Guzhen Lighting Building B, Mid Zhongxing Road, Guzhen, Zhongshan,

GuangDong, China

Tel: +86 760 8986 6388 Fax: +86 760 8986 6380

Beacon Lighting Europe GmbH

Campus Fichtenhain 42, 47807 Krefeld, Germany Tel +49 (2151) 325 82 39 Fax +49 (2151) 325 70 65 sales@beaconlighting.eu www.beaconlighting.eu

Beacon Lighting America Inc.

501 W Broadway, Suite 800, San Diego, California, 92101, United States Tel +1 (949) 800-8488 Fax +1 (949) 409-8686 sales@beaconlighting.us www.beaconlighting.us

